



THE FLOORING COLLECTION

Swiss engineered from the ground up.



The Swisstrax brand

Randy Nelson, directed the development of this revolutionary modular flooring line in Switzerland for more than 20 years before bringing the product to the USA in 2006. Today, we proudly manufacture the Swiss engineered flooring in our Dalton, GA headquarters.

Swisstrax flooring continues to offer the premier modular flooring solution for commercial, residential and industrial applications world wide!





Table of contents

4	About Swisstrax	16	Vinyltrax®
6	Commercial Flooring	17	Rubbertrax®
8	Event Flooring	18	Logotrax®
10	Residential Flooring	19	Graphictrax [®]
12	Ribtrax [®]	20	Lightrax®
13	Ribtrax® Smooth	21	Basetrax®
14	Diamondtrax® PRO	22	Cabletrax®
15	Diamondtray® HOME	23	Accessories











The world's finest modular flooring.

Swisstrax isn't simply flooring. It lays the foundation for the finest garages, showrooms and eventscapes in the world. Engineered to assemble in an instant, modular Swisstrax tiles can be configured to feature your logo and custom color combinations. Best of all, it's durable, easy to maintain and comes with a Limited Lifetime Warranty*. Transform your space today. You'll be floored.

Using Swisstrax throughout the sponsor pavilion as well as the Barrett Jackson staging lanes has really elevated the presence of these areas. We used to use carpet but the Swisstrax tiles have proven to be the best flooring option, hands down! They look great and hold up perfectly show after show!

Craig Jackson
CEO Barrett Jackson Auction Company



*See Swisstrax.com for full details.

(A) INDUSTRY TRUST

Utilized by Ford, Dodge and Rockstar Performance Garage (just to name a few) and backed by rigorous testing certifications, we have earned the finest reputation around the globe.

SUPERIOR DESIGN

Swiss engineered and made in North America. Our interlocking flooring tiles are 3/4" thick, have 6 connectionpoints per side and are manufactured with a 4-point injection mold.

O ULTIMATE PROTECTION

Our event, commercial and residential flooring tiles come with a Limited Lifetime Warranty*. A brand you can trust.

Preferred supplier to



















































many more



^{*}See Swisstrax.com for full details.



We're working daily – grinding, cutting, changing out fluids. We've been so impressed with how well the Swisstrax flooring has held up. Spills just drain out of our way. At the end of the day our backs aren't killing us, which has been a big deal. We completely endorse Swisstrax and plan on using these tiles anywhere we possibly can.


Nic Ashby, Rockstar Performance Garage

Megual Control of the control of the



Why choose Swisstrax as your Commercial Flooring? Office, Warehouse, Workshop, Company Entrance & more...

Swisstrax flooring is the perfect way to enhance the look of your business or work space. Our commercial flooring tiles are easy to install, easy to maintain and designed to last. Transform your brand while elevating the appearance of your showroom, warehouse, shop or garage with a premium floor tile.





Every event we do, and we do about 17 per year, Swisstrax is all we use for our flooring. It's easy to put together, easy to maintain, it's extremely durable and highly cost effective. We've been using Swisstrax for years and plan to continue using them for years to come.



Paul Brearey, Marketing Manager Ford Motor Company






Why choose Swisstrax as your Event Flooring?

Trade Show Booth, Dance Floor, Special Event, Party, & more..


For tradeshows, events and exhibit booths, our interlocking tiles are the premiere choice. Giving your space that personal POP and WOW factor, assuring you will stand out more than ever before.





After researching every option to cover my concrete garage floor, it was obvious to me that Swisstrax was the way to go! Easier to install and maintain than epoxy and no other tile company came close to their quality!


Ken Smith, Palm Desert, CA






Why choose Swisstrax as your Residential Flooring? Garage, Patio, Pool, Basement, Office, Gym, Storage Area, Sheds & more...

Swisstrax is the ideal DIY flooring solution that can be customized for your residential space. Easily cover up floor imperfections such as cracks, stains, lifted epoxy or boring concrete.





3/4" height profile features a compressive strength of 3,120 psi and 70,000 lbs of rollover weight.

- SLIP RESISTANT
 A safe solution to moisture.
- Wall or SHIME
 UV Stabilizer mixed into
 the material as well as the
 color pigments, making
 them highly fade resistant.
- Quick install in hours not days provides a low maintenance, hassle free cleaning.
- SILENT STEP
 No click-clack.

- Resistant to oil, gas, acid or solvents including Skydrol and Alkalis.
- Temperature Tolerances: -22 °F to + 248 °F.
- Open profile, ribbed design with 1/4" built in, self-draining channeling system.
- Choose from 19 different color options or interlock with other Swisstrax Pro tiles.
- 100% RECYCLABLE 100% sustainable.



Arctic White, Carnival Pink, Cosmic Purple, Citrus Yellow, Ivory, Mocha Java, Chocolate Brown, Jet Black, Slate Grey, Pearl Silver, Pearl Grey, Island Blue, Royal Blue, Teal, Techno Green, Turf Green, Terra Cotta, Tropical Orange, Racing Red



Features a compressive strength of 3,120 psi and 70,000 lbs of rollover weight.

SLIP RESISTANT

Self-draining design provides a clean, dry surface.

RAIN OR SHINE

UV Stabilizer mixed into the material as well as the color pigments, making them highly fade resistant.

DO IT YOURSELF

Quick install in hours not days provides a low maintenance, hassle free cleaning.

SILENT STEP
No click-clack.

CHEMICAL RESISTANT

Resistant to oil, gas, acid or solvents including Skydrol and Alkalis.

COLD/HEAT RESISTANT

Temperature Tolerances: -22 °F to + 248 °F.

CONSTRUCTION

Open profile, smooth design with 1/4" built in, self-draining channeling system.

(A) VARIET


Choose from 10 different color options or interlock with other Swisstrax Pro tiles.

100% RECYCLABLE 100% sustainable.



Arctic White, Citrus Yellow, Mocha Java, Chocolate Brown, Jet Black, Slate Grey, Pearl Silver, Royal Blue, Tropical Orange, Racing Red





3/4" height profile features a compressive strength of 3,120 psi and 70,000 lbs of rollover weight.


DO IT YOURSELF

Quick install in hours not days. Low maintenance, hassle free cleaning.


- SLIP RESISTANT
 Diamond traction enhances safety.
- UV Stabilizer mixed into the material as well as the color pigments, making them highly fade resistant.

CHEMICAL RESISTANT
Resistant to oil, gas, acid
or solvents including
Skydrol and Alkalis.

- Temperature Tolerances: -22 °F
- Temperature Tolerances: -22 °F to + 248 °F.
- Closed profile, diamond design with 1/4" built in support system that also maximizes airflow underneath.
- Choose from 10 different color optionsor interlock with other Swisstrax Pro tiles.
- 100% RECYCLABLE 100% sustainable.




Arctic White, Citrus Yellow, Mocha Java, Chocolate Brown, Jet Black, Slate Grey, Pearl Silver, Royal Blue, Racing Red



CONSTRUCTION

24 connection points per tile and a closed profile, diamond design with 1/2" built in support system maximizes airflow & drainage.

- Diamond traction enhances safety.
- WAIN OR SHINE
 UV Stabalizer mixed into the matiral for increased fade resistance.




SCUFF RESISTANT


Scuff resistant technology & miniature embossed diamonds maintain a great finish.

Easy DIY project that installs in hours, not days, low maintinance and hassle free cleaning.

Choose from 10 different colors options or interlock with other 12" Swisstrax Home tiles.



Racing Red, Slate Grey, Royal Blue Tropical Orange, Pearl Silver, Mocha Java, Jet Black, Citrus Yellow, Chocolate Brown, Arctic White



3/4" height profile features a compressive strength of 1,250 psi and 25,000 lbs of rollover weight.

DO IT YOURSELF

Quick install in hours not days provides a low maintenance, hassle free cleaning.

- SILENT STEP

 No click-clack.
- CHEMICAL RESISTANT
 Resistant to oil, gas, acid
 or solvents including
 Skydrol and Alkalis.



CONSTRUCTION

Patented base design with 1/4" built in support system that also maximizes airflow. Closed profile, "peel and stick" commercial grade vinyl inlay can easily be replaced.




VARIETY


Choose from selection of woodgrains, patterns and surface appearances. Interlock with other Swisstrax Pro tiles.



Carbon Fiber, Black Oak, Light Maple, Medium Maple, Natural Pine, Ash Pine Reclaimed Pine, Polished Concrete



- 3/4" height profile features a compressive strength of 1,250 psi and 25,000 lbs of rollover weight.
- Quick install in hours not days. Low maintenance, hassle free cleaning.
- NON-SLIP
 Comfortable and safe.
- SILENT STEP
 No click-clack.





Flexible design with added comfort. Durable construction that is built to last.

Choose from 2 different style options or interlock with other Swisstrax Pro tiles.

100% RECYCLABLE 100% sustainable.



Ribtrax®, Ribtrax® Smooth

*Only available in Jet Black. Not intended for use under heavy objects.





3/4" height profile features a compressive strength of 1,250 psi and 25,000 lbs of rollover weight.

NON-SLIP

A safe solution to moisture.

W Stabilizer mixed into

the material as well as the color pigments, making them highly fade resistant.

DO IT YOURSELF

Finished logo assembles directly into your Swisstrax flooring.

SILENT STEP
No click-clack.

CHEMICAL RESISTANT

Resistant to oil, gas, acid or solvents including Skydrol and Alkalis.

CONSTRUCTION

1/4" built in channeling system or support system depending on tile style. Contour cut Lexan logo routed directly into your tile creating a durable and high end branding solution.

(26)

VARIETY

Custom Logos can be created with any Swisstrax tile style or color. Interlock with other 15.75" Swisstrax Pro tiles.

100% RECYCLABLE

100% sustainable.



Arctic White, Carnival Pink, Cosmic Purple, Citrus Yellow, Ivory, Mocha Java, Chocolate Brown, Jet Black, Slate Grey, Pearl Silver, Pearl Grey, Island Blue, Royal Blue, Teal, Techno Green, Turf Green, Terra Cotta, Tropical Orange, Racing Red



3/4" height profile features a compressive strength of 1,250 psi and 25,000 lbs of rollover weight.

DO IT YOURSELF

Apply "peel and stick" logo directly to the interlocking bases. Finished logo assembles directly into your flooring.

- SILENT STEP

 No click-clack.
- Resistant to oil, gas, acid or solvents including Skydrol and Alkalis.



CONSTRUCTION

Patented base design with 1/4" built in support system that also maximizes airflow. Closed profile, "peel and stick" custom graphic inlay can easily be replaced or rebranded.


VARIETY


No size limitation, from one tile to one hundred. Interlock with other 15.75" Swisstrax Pro tiles for a completely branded or full graphic look.



*Color variation only available for single **Graphictrax**®.







Compressive strength of 500 psi and 20,000 lbs of rollover weight.

- DO IT YOURSELF
 - Quick install in hours not days. Low maintenance, hassle free cleaning.
- SILENT STEP
 No click-clack.
- CONSTRUCTION

 Closed profile, illuminated LED panel.



NARIETY

Cover with any high resolution image or custom logo to illuminate your graphic.

Sizes available:

4" x 4" sample panel 15.75' x 15.75"(1x1 tile) panel 15.75" x 31.5" (1x2 tile) panel 31.5" x 31.5" (2x2 tile) panel 46.75" x 31.5" (2x3 tile) panel



LED White

*Available in multiple size variations.



Compressive strength of 1,250 psi and 25,000 lbs of rollover weight.

NON-SLIF

Subfloor with safety in mind.


- Quick install in hours not days.
 Low maintenance, hassle free cleaning.
- SILENT STEP

 No click-clack.
- CHEMICAL RESISTANT

 Resistant to oil, gas, acid

 or solvents including

 Skydrol and Alkalis.



COOL/HEAT RESISTANT
Temperature Tolerances: -22 °F to + 248 °F.

CONSTRUCTION

Patented base design with 1/4" built in support system also maximizes airflow. Open profile design with reduced height to allow a variety of overlay flooring solutions.

WARIETY
Interlock with other 15.75"

Swisstrax tiles, cover with any flooring from commercial carpet to hardwoods or custom Swisstrax solutions.

100% RECYCLABLE 100% sustainable.








Compressive strength of 1,250 psi and 25,000 lbs of rollover weight.

- Pre-routed for quick install in hours not days.
- SILENT STEP
 No click-clack.
- Resistant to oil, gas, acid or solvents including Skydrol and Alkalis.



COOL/HEAT RESISTAN

Temperature Tolerances: -22 °F to + 248 °F.

CONSTRUCTION

Patented base design with 1/4" built in support system also maximizes airflow and incorporates electrical with ease.

VARIETY

Available

Available in 7 tile styles, over 15 colors and patterns. Interlock with other 15.75" Swisstrax PRo tiles and create a custom path of only necessary cabling.

100% RECYCLABL 100% sustainable.



Diamondtrax®, *Ribtrax®*, *Ribtraxtrax® Smooth*, *Vinyltrax®*, , *Graphictrax®* *Consult a flooring specialist for more details.

Swisstrax Accessories

make your installation perfect by adding the

FINISHING TOUCH

Swisstrax offers accessories that add a finishing touch to your application. Each accessory stands up to the Swisstrax standard of excellence.




LOOPED EDGE



PEGGED EDGE




CORNER



RECYCLED RUBBER UNDERLAY



WORK GLOVES



OGIO® SWISSTRAX POLO AVAILABLE IN WHITE AND BLACK



SWISSTRAX CLEANER




PARKING GUIDE



OIL DRIP PAD



TREADWARE EDGE



TREADWARE BASEBOARD



PARK RIGHT TIRE SAVERS®







205 Boring Dr. Dalton, GA 30721 (866) 748-7940 swisstrax.com







Swisstrax is a proud member of the RG family of companies















